

DECLARATION OF PERFORMANCE



UK

fermacell® Firepanel A1

Nr. FC-0004

- | | |
|--|--|
| 1. unique identification code of the product type | FC-0004 |
| 2. purpose of use | Gypsum bonded fire protection board for preventive fire protection in interiors |
| 3. manufacturer | James Hardie Europe GmbH
Bennigsen- Platz 1
D-40474 Düsseldorf
Tel. +49 800 3864001
E-Mail fermacell@jameshardie.de |
| 5. system(s) for assessment and verification of constancy of performance | System 3 |
| 6. harmonised standard
Notified body(ies) | EN 15283-2:2008+A1:2009
MPA Braunschweig (0761-CPR) |
| 7. Declared performance | |

Essential feature	Performance
Shear strength	NPD
Reaction to fire	A1
Water vapour diffusion resistance	$\mu=16$
Thermal conductivity	0,38 W/mK
flexural strength	$\geq 5,8 \text{ N/mm}^2$
Acoustic insulation	NPD
Impact resistance	NPD

The performance of the above product corresponds to the declared performance(s). The manufacturer mentioned above is solely responsible for the preparation of the declaration of performance in accordance with Regulation (EU) No. 305/2011.

Signed for the manufacturer and on behalf of the manufacturer of:

Düsseldorf, 01.01.2020

Dr. Jörg Brinkmann (CEO)